



Arizona | California | Colorado | Nevada | New Mexico | Texas

October 6, 2020

SUBMITTED TO:
Tolleson Elementary School
District
Ivan Gastelum

623-533-3932
9401 W Garfield St
Tolleson, AZ 85353

WORK TO BE PERFORMED AT:
Tolleson ESD Gonzales
Elementary
9401 West Garfield Street
Tolleson, AZ 85353

SUBMITTED BY:
Tad Peters

Account Executive

P: 602-320-6366
F:
E: peterst@aceasphalt.com

3030 South 7th St
Phoenix, AZ 85040



Contractor's Licenses:
AZ ROC 090990-A; ROC 166912-C-13; CA 725402; NV 0076024; NM 366859

SCOPE OF WORK

AREA 1 POLYMER MODIFIED SLURRY SEAL (TYPE II)

Thoroughly clean approximately 5833 square yards of existing pavement surface.

All major cracks (1/4 inch and wider) will be caulked with a hot-applied, rubberized crack sealer, using approximately 80 gallons of material. Apply a **MAG Type II CATIONIC polymer modified slurry seal** at the rate of 15-18 pounds per square yard.

Polymer modifications to Slurry Seal improve binder cohesion and abrasion resistance, lessening the impact of raveling and scuffing especially in tight parking lot or cul-de-sac areas.

NOTE:

This operation will be done in 1 mobilizations. Additional trips, if requested, are billable at the rate of **\$1200** each. Work performed on weekends may incur additional charges.

Work areas must be clear of obstructions, If it is necessary to move vehicles from work areas, Ace asphalt will tow vehicles and relocate to a designated area to be recovered by owners. Towing charges will be billed at a rate of \$65.00 per vehicle.

Slurry seal does not compare cosmetically to an overlay. It does not favorably alter any existing poor drainage and will not adhere to oil spillage areas that have saturated the pavement surface unless prior repairs are made. Scuffing, raveling, inconsistency in appearance, and visible seams on the new slurry surface are normal and to be expected with the best application methods and materials for this service. Power steering marks are unavoidable and should not cause undue concern.

Reflective cracking will occur as movements of the underlying asphalt occur and break through to the surface. **OUR COMMITMENT TO THE ENVIRONMENT:**

Ace believes in employing sustainable practices that are both socially responsible and commercially sound. From material recycling strategies to pollution prevention initiatives, we are committed to minimizing our environmental impact while improving the well being of the communities we serve.

STRIPING AREA 1

Restripe all pavement markings to match existing layout including:

- 11 single parking stalls - 37 double parking stalls - 6 two-color handicap stalls - 19 arrows - 2022 LF of Painted Curb, and 3 Stop Bars with Stencils

NOTE:

This estimate is based on 1 mobilization(s). Additional trips, if requested, will require an additional charge. Work performed on weekends may incur an additional charge.

Work areas must be clear of obstructions, If it is necessary to move vehicles from work areas, Ace Asphalt will tow vehicles and relocate to a designated area to be recovered by owners. Towing charges will be billed at a rate of \$65.00 per vehicle.

This price does not include replacing existing stencils on the asphalt unless it is specified above. Additionally, Fire Lane or curb painting is not included unless specified above. Ace Asphalt is not responsible for making any site conditions or improvements ADA compliant unless directed by the customer to do so. If directed by the customer, Ace Asphalt will make the recommended changes and additional charges may apply. Ace Asphalt also recommends the use of a certified ADA consultant for site evaluations and recommendations as required by applicable Federal and



Contractor's Licenses:

AZ ROC 090990-A; ROC 166912-C-13; CA 725402; NV 0076024; NM 366859

PG 2 OF 7

State laws.

AREA 2 POLYMER MODIFIED SLURRY SEAL (TYPE II)

Thoroughly clean approximately 1985 square yards of existing pavement surface.

All major cracks (1/4 inch and wider) will be caulked with a hot-applied, rubberized crack sealer, using approximately 35 gallons of material. Apply a **MAG Type II CATIONIC polymer modified slurry seal** at the rate of 15-18 pounds per square yard.

Polymer modifications to Slurry Seal improve binder cohesion and abrasion resistance, lessening the impact of raveling and scuffing especially in tight parking lot or cul-de-sac areas.

NOTE:

This operation will be done in 0 mobilizations. Additional trips, if requested, are billable at the rate of **\$1200** each. Work performed on weekends may incur additional charges.

Work areas must be clear of obstructions, If it is necessary to move vehicles from work areas, Ace asphalt will tow vehicles and relocate to a designated area to be recovered by owners. Towing charges will be billed at a rate of \$65.00 per vehicle.

Slurry seal does not compare cosmetically to an overlay. It does not favorably alter any existing poor drainage and will not adhere to oil spillage areas that have saturated the pavement surface unless prior repairs are made. Scuffing, raveling, inconsistency in appearance, and visible seams on the new slurry surface are normal and to be expected with the best application methods and materials for this service. Power steering marks are unavoidable and should not cause undue concern.

Reflective cracking will occur as movements of the underlying asphalt occur and break through to the surface.

OUR COMMITMENT TO THE ENVIRONMENT:

Ace believes in employing sustainable practices that are both socially responsible and commercially sound. From material recycling strategies to pollution prevention initiatives, we are committed to minimizing our environmental impact while improving the well being of the communities we serve.

STRIPING

Restripe all pavement markings to match existing layout including:

- 29 single parking stalls - 2 speed bumps

Crosswalk and Stop Bar at street to be paint with reflective glass beads. No preformed tape or Thermoplastic is included.

This work to be completed with Area 1. If a separate mobilization is required ADD \$ 200.

NOTE:

This estimate is based on 0 mobilization(s). Additional trips, if requested, will require an additional charge. Work performed on weekends may incur an additional charge.



Work areas must be clear of obstructions, If it is necessary to move vehicles from work areas, Ace Asphalt will tow vehicles and relocate to a designated area to be recovered by owners. Towing charges will be billed at a rate of \$65.00 per vehicle.

This price does not include replacing existing stencils on the asphalt unless it is specified above. Additionally, Fire Lane or curb painting is not included unless specified above. Ace Asphalt is not responsible for making any site conditions or improvements ADA compliant unless directed by the customer to do so. If directed by the customer, Ace Asphalt will make the recommended changes and additional charges may apply. Ace Asphalt also recommends the use of a certified ADA consultant for site evaluations and recommendations as required by applicable Federal and State laws.

At Ace Asphalt, we don't just build surfaces. We build trust. And we look forward to building yours.



Contractor's Licenses:

AZ ROC 090990-A; ROC 166912-C-13; CA 725402; NV 0076024; NM 366859

PRICING

PHASES

Area 1 Polymer Modified Slurry Seal (Type II)	\$12,769.00
Striping Area 1	\$2,231.00
Area 2 Polymer Modified Slurry Seal (Type II)	\$4,091.00
Striping	\$285.00
SUBTOTAL	\$19,376.00
Estimated Tax	\$1,108.11
PROPOSAL TOTAL	\$20,484.11

EXCLUSIONS, UNLESS NOTED ABOVE:

Bonds, testing, engineering, permits, taxes, soil sterilant, caulking/grouting, wire or fiber mesh, dowels, colored concrete, decorative finishes, utility adjustments, or landscaping/landscape irrigation repairs; Correction of drainage issues or pre-existing subgrade deficiencies; Crack seal adjacent to concrete sidewalks and curbing; Single coat sealing applications and cracks over 2" in width are excluded from warranty (per manufacturer specifications); Work performed on weekends may incur an additional charge.

PAYMENT FOR WORK: Customer shall pay ACE within 30 days of the completion of the Work. ACE reserves the right to submit progress billings to Customer on a weekly, bi-weekly or monthly basis, which shall be paid by Customer within 30 days. No defect in the Work shall relieve Customer of its obligation to make payment of amounts due. Customer shall be charged interest at the rate of 2% per month on all unpaid balances and shall pay all reasonable attorneys' fees and costs incurred by ACE in collecting amounts due hereunder. Major credit cards are accepted subject to a 2% convenience fee. ACE reserves the right to file a preliminary lien notice and retains any and all lien rights. Customer acknowledges that there is volatility in raw material pricing and agrees that ACE may increase the contract price set forth herein to account for the increased cost charged by ACE's suppliers for the raw materials. The contract price includes sales tax as charged by material providers and specifically excludes all use tax. Taxes can be waived only upon ACE's receipt of a properly executed tax exemption certificate.

ACCEPTANCE: The process, specifications, and conditions as enumerated herein, including "Terms and Conditions" below, are satisfactory and are hereby accepted. Ace Asphalt of Arizona, Inc., is authorized to proceed with the work as specified. Payment will be made according to the terms listed above.



Contractor's Licenses:

AZ ROC 090990-A; ROC 166912-C-13; CA 725402; NV 0076024; NM 366859

Authorized Signature

Title

Print Name

Date

Legal Property Owner Name

Invoice Addressee

Scheduling Contact

Invoice Mailing Address



Contractor's Licenses:

AZ ROC 090990-A; ROC 166912-C-13; CA 725402; NV 0076024; NM 366859

TERMS AND CONDITIONS

THE WORK: ACE will furnish all necessary labor, materials, and equipment to complete the work specified herein (the "Work"). Customer shall notify ACE in advance when the site will be ready for the Work to be performed, and shall provide ACE with free and unobstructed access so that the Work can be commenced promptly, and completed without delay. Customer shall pay for the towing of vehicles impeding the Work and all others charges incurred by ACE due to Customer delay. Customer shall pay ACE its reasonable charges incurred due to delays caused by Customer. All surfaces to which material is to be applied shall be in a condition similar to the condition at the time the project was bid. ACE provides no assurance as to a completion date since the Work is subject to weather conditions, prior commitments, mechanical failures and other causes beyond ACE's control.

Customer shall be represented by one person with authority to accept the work and authorize changes to the Work. Customer shall provide ACE with reasonable access to a water supply source. Customer grants ACE permission to utilize photos and video of the Work and the project site in the promotion of ACE's business services.

WARRANTY: The Work is warranted against defects in workmanship and materials for a period of one (1) year from the date of installation. ACE makes no warranty regarding drainage where the slope provided or allowable is less than two percent (2%). ACE's warranty does not extend to or cover settlement or cracking of asphalt or pavement due to expansive soils or improperly compacted utility trenches, or for failures caused by the inadequate compaction of the subgrade. ACE shall not be liable for damage to underground utilities which were improperly installed or backfilled.

AMERICANS WITH DISABILITIES ACT: Customer is solely responsible for maintaining the subject property in full compliance with the ADA and agrees to indemnify and hold ACE harmless from and against any and all liability, claims, damages or expense, including attorneys' fees, relating in any way to ADA requirements or issues. ACE recommends that Customer obtain the services of a certified ADA consultant for site evaluations and recommendations as required by Federal and State law. If directed by the Customer to obtain compliance, ACE may make recommendations for such work and additional charges may apply.

SOILS: ACE shall have no liability to Customer or any third party relating to underlying soil conditions. ACE will not sacrifice the quality or integrity by placing asphalt pavement on base course or subgrade that is unstable or subgrade containing frost, including top lifts or overlays when temperatures do not meet material specifications. ACE's warranty shall be waived and of no effect should Customer direct or authorize ACE to pave on unstable subgrade or subgrade containing frost and Customer shall be responsible for any and all resulting damage or required repairs. If Customer requests that the top lift of asphalt be placed at a later date, the cost for all clean up is the Customer's responsibility.

If ACE provides subcontracted construction stakes and/or subcontracted engineering services, the Customer agrees to indemnify and defend ACE from and against any and all claims, demands, damages, costs or expenses, including attorneys' fees, resulting from or related to these services, including drainage of water as to direction and amount, both during and after performance of the Work.

If a soil sterilizer or herbicide is applied by ACE, it is applied at the request of the Customer in an effort to retard weed growth and ACE makes no representation or guarantee that its use will have the intended effect. Customer shall indemnify, hold harmless, and defend ACE from and against any and all damages, claims, cost or expenses, including attorneys' fees and costs, resulting from these services. Customer is advised to retain an independent licensed soils engineer for a study of the existing soils in order to recommend a specific pavement design. ACE may modify this proposal and the contract price to include such recommendations.

DISPUTE RESOLUTION: This Contract shall be governed by the laws of the State where the Work was performed. Customer shall notify ACE within 7 days of Customer's objection to any portion of the Work and shall pay ACE all amounts that are not in dispute. Any dispute relating to this Contract or to the Work performed by ACE shall be resolved solely by a court of competent jurisdiction in the County where the Work was performed. The parties expressly agree that this Contract was jointly drafted and shall be construed neither against nor in favor of either party. The prevailing party in any litigation relating to this Contract shall be entitled to an award of its reasonable costs and attorneys' fees.



Contractor's Licenses:

AZ ROC 090990-A; ROC 166912-C-13; CA 725402; NV 0076024; NM 366859